



MATERIAL SAFETY DATA SHEET

PAVECURE W

COMPANY DETAILS

Page 1 of 3

Name: Aitken Freeman Pty. Ltd.,
Address: 7 / 7-9 Brough St, Springvale Vic 3171
Phone: (03) 9701 3955
Fax: (03) 9701 3956

IDENTIFICATION

Product Name:	Pavecure W	U.N. Number:	N/A
Shipping Name:	N/A	Dangerous Goods Class:	N/A
Subsidiary Risk:	N/A	Hazchem Code:	N/A
Poisons Schedule:	5	Packaging Group:	N/A

Chemical Description: Emulsion of resin and low aromatic solvent in water.

Use: Concrete curing compound.

PHYSICAL DESCRIPTION / PROPERTIES

Appearance:	Milky homogeneous liquid or with red fugitive dye	Flammability Limit (%):	See Fire/ Explosion Hazard
Solubility in water (g/l):	Emulsifies	In organic solvents:	Part Soluble
Boiling Point:	100-196°C	Vapour Pressure @25°C	NAS
pH:	7	Relative Density:	0.98
Volatiles (%):	10% hydrocarbon, 70% water	Shelf Life:	12 months
Flash Point (°C):	84°C	Other properties:	NAS

INGREDIENTS

Chemical Entity	CAS Number	Threshold Limit Value Proportion %
Hydrocarbon liquid	64742-89-7	Low approximately 10% WW
Hydrocarbon resin	68131-77-1	20-40%

Due to composition or concentration, all other ingredients exempted from HN and MRC Standard for Uniform Scheduling of Drugs and Poisons and TLV-Worksafe Australia.

HEALTH HAZARD INFORMATION

HEALTH EFFECTS

Acute:

Swallowed:	Slight irritant
Eye:	Moderate irritant
Skin:	Slight skin irritant
Inhaled:	Irritant, causes dizziness, loss of consciousness.

Chronic: FIRST AID

Swallowed:	Do not induce vomiting. Give glass of water. Contact a doctor or Poisons Information Centre.
Eye:	Remove contact lenses. While holding eyes open gently flush with water for 15 minutes. Promptly obtain medical aid.
Skin:	Remove contaminated clothes. Wash before re-use. Wash contaminated skin well with soap and water.
Inhaled:	Remove to fresh air. Avoid becoming a casualty. Apply artificial respiration if breathing stopped. Seek medical aid.
First Aid Facility:	Ensure availability of clean water for eye/skin wash.
Advice to Doctor:	Treat symptomatically.

PRECAUTIONS FOR USE

Exposure Standards:	See ingredients, page 1.	
Engineering Controls:		
Ventilation:	Using non-ignitive equipment assure positive ventilation or suitable breathing equipment, <i>for example</i> , 3M Model 8712, to maintain vapour levels below TLV-TWA.	
Personal Protection:	Gloves Long Impervious: YES	Overalls: YES
	Eye Protection: YES	
Flammability:	N/A Flashpoint 84°C	

SAFE HANDLING INFORMATION

Storage and Transport:	Avoid heat, flames, oxidising agents	
Spills:	Wear appropriate personal protection and ensure adequate ventilation.	
	Sweep up first:	YES
	Wash down with detergent/water:	YES
	Absorb in dry inert material:	YES
Disposal:	<i>Observe all Federal, State and Local regulations.</i>	
Fire/Explosion Hazard:	Explosion Limit - upper:lower	NAS
	Dust explosion hazard:	N/A
	Hazardous decomposition products:	NAS
	Hazardous polymerisation products/reaction	Unlikely
	Extinguishing medium	Foam CO ²
	Firefighters should wear self contained breathing apparatus in enclosed areas.	

CONTACT POINTS

ORGANISATION

Aitken Freeman Pty. Ltd.

LOCATION

7/7-9 Brough St,
SPRINGVALE. Vic 3171

TELEPHONE

(03) 9701 3955 Business Hours
(03) 9710 3955 After Hours

All information contained in this Data Sheet is as accurate and up to date as possible. No warranty expressed or implied is made as to its accuracy, reliability or completeness.