

**PONDSEAL**

Not classified as hazardous according to the criteria of NOHSC

Identification

Pondseal

Other Names: Waterproofing Membrane
U.N. Number: NA
Class: NA
Hazchem Code: NA
Poison Schedule: NA
Packs Sizes: 1, 4 and 20 Litres

Uses: Waterproofing of ponds and water features.

Physical Description / Properties

Appearance: Thick coloured liquid.
Boiling Point ∞ C: +- 100
Vapour Pressure: NA
Percent Volatiles: +- 42 (water)
Specific Gravity: +- 1.1
Flash Point: NA (Water based)
Flammability: NA (water based)
Cured membrane will burn in sympathy with the substrate.
Water Solubility: Miscible.

Ingredients

Chemical	CAS No.	Proportion
Water	NA	>30%
Polymer	NA	>60%
Inert Fillers	NA	<10%
Other	NA	<3%

Health Warning Information**Health Effects**

Swallowed:
Irritating and nauseating.

Eye:

Irritating, can cause damage. Grit and fibres in product may scratch eye.

Skin Contact:

Irritating, contact should be avoided.

Inhaled:

Free traces of monomers. Can be irritating.

First Aid

Inhalation:

Unlikely due to thick nature of product. Move person to fresh air. If breathing stops apply artificial respiration. Seek immediate medical help.

Eye:

Thoroughly flush eye with clean water. Seek medical help if symptoms persist.

Ingestion:

Give plenty of milk or water to drink.

Advice To Doctor

Treat Symptomatically.

Precautions in Use

Low risk but observe normal industrial hygiene, work practices and precautions.

Ventilation

Good ventilation is recommended. If person is affected by volatiles or smell (low odour) then remove to fresh air.

Personal Protection

Face mask / goggles (against splashes) and gloves are recommended.

Safe Handling**Storage:**

Store under cover in cool dry areas. Do not allow product to freeze.

Disposal:

Can be eliminated from sewage/effluent by chemical flocculation. Observe disposal conditions and regulations in accordance with local, state and federal regulations.

Spills:

Apply sand to spills and dispose in accordance with local Council regulation.

Fire / Explosion

Product is water based. No direct hazard. Cured product will burn in sympathy with the substrate emitting thick noxious smoke.

Contact

Duram Industries Pty Ltd.
61 (02) 9624-4077

64 (09) 527-0551

JAN 04

IMPORTANT

The product information contained in this data sheet is given in good faith based upon our knowledge and current information and does not imply any warranty. The information contained herein is provided on the basis that the product is applied in a proper manner strictly in accordance with instructions onto correctly prepared surfaces which shall remain sound, stable and free of cracking or movement. Instruction application deviation may diminish or negate the performance of the product. Under no circumstances will the Company be liable for any loss, consequential or otherwise, arising from the use of the product. We reserve the right to amend specification and application techniques without prior notice.

DURAM INDUSTRIES (PTY) LTD ACN 002 968 809 ABN 77 002 968 809

The Ultimate in Waterproofing & Protective Coating Technology

NEW SOUTH WALES: 51 Prince William Drive, Seven Hills, NSW 2147

WESTERN AUSTRALIA: 49 Banksia Road, Welshpool, WA 6106

QUEENSLAND: 775 Kingsford Smith Drive, Eagle Farm QLD 4009

NEW ZEALAND: Unit 3, 65 Elizabeth Knox Place, Mount Wellington, Auckland

Tel: (02) 9624 4077 Fax: (02) 9624 4079

Tel: (08) 9350 6565 Fax: (08) 9356 7575

Tel: (07) 3868 4888 Fax: (07) 3868 4390

Tel: (09) 527 0551 Fax: (09) 527 0552